

.

From: Taugher, Helen (DPH)
Sent: Tuesday, June 05, 2012 1:23 PM
To: Hanchett, James (DPH)
Subject: ? RE: Morrill I parking lot resurfacing

Jim, do you know where" the temporary lot on the Stockbridge Road side of Morrill I" is - I am not sure where he is referring to?

Helen
Helen Crean Taugher DNP MPH RN
Regional Immunization Nurse - Western Region Massachusetts Department of Public Health Bureau of Infectious Disease Prevention, Response and Services
413-545-6604

-----Original Message-----

From: Hanchett, James (DPH)
Sent: Tuesday, June 05, 2012 12:21 PM
To: Taugher, Helen (DPH)
Subject: FW: Morrill I parking lot resurfacing

-----Original Message-----

From: Ewart, Burt [<mailto:bewart@facil.umass.edu>]
Sent: Tuesday, June 05, 2012 11:30 AM
To: Hanchett, James (DPH); Charles A. Apicella; 'Ruthie Allis'; 'Maryanne Wells'; Pam Monn; Don Sullivan; John Pepi; Gregory Wheeler
Subject: Morrill I parking lot resurfacing

All,

As noted below, DA Sullivan would like to close the Morrill I parking lot (North side, upper lot) on Monday and Tuesday, June 11 and 12 to seal and restripe the parking lot. This is to improve the long-term durability of the pavement, which when installed was not acceptably mixed and thus showed areas of porosity that, over a relatively short time, would lead to a failure of the pavement.

Let me know if this time period causes too much of a problem for you and your colleagues, and we will try to reschedule.

Barring any unforeseen access issues (sometimes caused by Whiting Turner and their subcontractors at the NLSB project), ill be available.

Thanks for your patience,

Burt

Burt Ewart
Capital Project Manager

University of Massachusetts
Facilities Planning Division
360 Campus Center Way
Amherst, MA 01003-9248

bewart@facil.umass.edu

Direct Extension: 413.577.0128
Mobile: 413.326.1646
Office Main: 413.545.1383
Fax: 413.545.3684

-----Original Message-----

From: John Fleming [<mailto:JFleming@dasullivan.com>]
Sent: Monday, June 04, 2012 3:56 PM
To: Ewart, Burt
Cc: Dennis Sullivan; rdowneytandmequipcorp@gmail.com
Subject: Morrill parking lot

We would like to schedule the sealing and stripping foe Monday and Tuesday June 11/12. Weather permitting.

John Fleming
D.A.Sullivan & Sons